

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	1188	mirror and transmit near2 light NEAR3 Wavelength and (substrate reflect or reflective or reflected)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
2	BRS	L2	8	rearview near mirror and transmit near2 light NEAR3 Wavelength and (substrate reflect or reflective or reflected)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
3	BRS	L3	1188	mirror and transmit near2 light NEAR3 Wavelength and (substrate reflect or reflective or reflected)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
4	BRS	L4	30	metallic near layer and 3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
5	BRS	L5	100	second near substrate and 3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
6	BRS	L6	30	metallic and 4	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
7	BRS	L7	34	metallic and 5	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
8	BRS	L8	13	"6208466" and metal\$3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
9	BRS	L9	1243	dielectric same (metal\$3 or silver\$3) near2 layer same transparent near2 layer	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
10	BRS	L10	11196	wavelength near2 (transmit or transmitting or transmitted) and (reflect or reflective or reflected)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
11	BRS	L11	19	9 and 10	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
12	BRS	L12	45367	dielectric same (metal\$3 or silver\$3) near2 layer	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
13	BRS	L13	59926	dielectric near2 layer same (metal\$3 or silver\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
14	BRS	L14	27227	dielectric near2 layer near4 (aluminum or metal or metallic or silver)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
15	BRS	L15	4332	dielectric near2 layer near4 (aluminum or metal or metallic or silver) and wavelength	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
16	BRS	L16	2331	dielectric near2 layer near4 (aluminum or metal or metallic or silver) and wavelength and transparent	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
17	BRS	L17	1787	dielectric near2 layer near4 (aluminum or metal or metallic or silver) and wavelength and transparent and light and (reflect or reflected or reflecting or reflective)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
18	BRS	L18	233	dielectric near2 layer near4 (aluminum or metal or metallic or silver) and wavelength near3 (transmittance or transmit or transmitted or transmitting)and transparent and light and (reflect or reflected or reflecting or reflective)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B